

SLIDER
SLIDE TO LIGHT

SLIDER CATALOGUE | AUGUST 2023
ENGLISH

All technical information and values (e.g. lumen, output, beam angle or dimensions) correspond to the printing date or the creation date of this document and will not necessarily be updated. All changes and adaptations that serve to improve our products can be carried out without prior notice.

The latest data sheets can be configured on www.prolicht.at

PROLICHT MAKES A DIFFERENCE

If you promise your demanding clients bespoke, high-tech, quality products, you can't have them made just anywhere. We manufacture our products where the best trained technicians, engineers and designers find themselves at home: right in the middle of the Tyrolean Alps.

At the end of the day, it is their skill that makes a difference. And it is their expertise that has made PROLICHT one of the world's most successful premium manufacturers of architectural lighting concepts. Sustainably produced and custom made in Europe.




YOUR PROJECT
MAKES YOUR PRODUCT



INSPIRATION | BRANDSHOOT

SLIDER
FAST AND POWERFUL







THE REVOLUTION OF INSTALLING PROFILES

Experience the future of installation with SLIDER's revolutionary concept, making it easier and faster than ever to install and maintain your lighting system. Say goodbye to complicated installation processes and hello to hassle-free, efficient lighting installation with SLIDER.




1 | READY FOR INSTALLATION OUT OF THE BOX

SLIDER modules come prepped for installation, with an all-in-one design that integrates the LED light source and diffuser within their profile. Get ready to transform your space with ease.



2 | SLIDE OUT POWER CONNECTION

Take full advantage of SLIDER's innovative technology that enables you to effortlessly slide out the power connection part. Access the power unit swiftly, without the need to dismount the luminaire, saving you valuable time and effort.



3 | EASY ACCESS & CONNECTION TO POWER UNIT

Once the SLIDER part is pulled out, you have immediate access to the power unit, making installation and maintenance a breeze. No more hassle of dismantling the entire luminaire—simply connect the cables to the clamps of the power unit.



4 | SLIDE BACK IN POWER CONNECTION

Once cables are connected, just slide the power unit back to the profile effortlessly: click it in and the module is secured and ready to provide a reliable power supply.




5 | READY TO GO

Your SLIDER module is now in place and fully connected, ready for a smooth finish of the installation.



6 | HASSLE-FREE FINISH

To complete the installation, effortlessly mount the end cap on the profile. No tools needed—just a simple step to achieve a flawless and polished appearance.



Installation time SLIDER ■
 Installation time traditional profile system ■

QUICK AND EFFECTIVE


SLIDER's innovative concept makes installation extremely fast, saving you valuable time and effort. With SLIDER, lighting becomes an effortless journey, saving you time and effort while ensuring exceptional results. Elevate your space and let SLIDER illuminate your world.

ENDLESS POSSIBILITIES


SLIDER is a unique new system that fits into any project with its wide range of configuration options. Profiles in various lengths, connection modules with different shapes or the well-known PROLICHT color options offer endless possibilities for an optimal integration in every project.

Almost infinite lines of light or single luminaires. The highly flexible profile systems SLIDER offer huge creative scope for a range of lighting scenarios and combine light with architecture in a distinctive way.

ENDLESS POSSIBILITIES




DIFFERENT MODULES



25 PROLICHT COLORS



RAL Classic or any other special color on request




SLIDER is controlled by the following systems:



In the Matter version, SLIDER fittings work natively with Apple Home, Google Home, Amazon Alexa, Samsung SmartThings and with many other home automation control systems.


- 1A BATWING LENS**
Unique lens for a very wide and homogenous indirect distribution with 80% efficiency.
- 1B OPAL LENS**
Opal distribution for more directed and focused indirect light.
- 2 LED-CIRCUIT BOARD INDIRECT**
Special designed PCB equipped with high power LEDs of CRI > 90: always high-quality light in every condition.
- 3 PROFILE**
Aluminum extruded profile with dimension: W: 60 mm & H: 76 mm.
- 4 LED-CIRCUIT BOARD DIRECT**
Special designed PCB equipped with high power LEDs of CRI > 90: always high-quality light in every condition.
- 5A OPAL DIFFUSER**
High Efficiency up to 130 lm/W with wide distribution for ambience and general light.
- 5B MICROPRISM DIFFUSER**
Comfortable prismatic optic with very high efficiency up to 90 % ideal for high ceiling and office spaces.
- 5C GLARE CONTROL DIFFUSER**
UGR always below 19 and still up to 2325 lm/m thanks to an exclusive nano structured foil with prismatic aesthetic.
- 5D RASTER WHITE**
In unique white finish, miniaturized raster with maximum comfort and complete control of light with the light source virtually invisible. It is the ideal solution for working tables thanks to its UGR below 19.
- 5E RASTER BLACK**
Classic black finish of the miniaturized raster with maximum comfort and complete control of light with the light source virtually invisible. It is the ideal solution for working tables thanks to its UGR below 19.



ENDLESS POSSIBILITIES

SLIDER's innovative product concept ensures that it is suitable for a wide range of projects, from commercial spaces such as offices, retail stores, and hotels, to residential applications like homes and apartments. Whether you need to create a focused task lighting or a vibrant atmosphere, SLIDER can meet your lighting needs with its versatile options.

With SLIDER, you can achieve the perfect balance of aesthetics and functionality in any space. Its sleek design, high lumen output, and multiple lens options make it a versatile choice. Experience the future of lighting with SLIDER and elevate your projects to new heights of creativity and versatility.



OVERVIEW
SLIDER FAMILY



INSPIRATION | BRANDSHOOT



SURFACE | SUSPENDED - SAME PROFIL DIMENSION

Thanks to the different mounting options with consistent dimensions of the profile, the lighting solution allows a homogeneous integration into any room concept. Whether as a surface-mounted or pendant version, the SLIDER lighting system offers the variant you need for your project.





INSPIRATION | BRANDSHOOT



TRACK: COLOR 02 BLACK VELVET | GLARE CONTROL DIFFUSOR

THE PERFECT GLARE

The performance of this new lighting system offers maximum efficiency with excellent glare control. The endless configuration possibilities of this product family allow visible but at the same time glare-free light with a UGR of less than 19 and offer optimal conditions to meet all required lux values for workplace lighting.





INSPIRATION | BRANDSHOOT



THE BEST UGR FOR OFFICE


Its unique functions and combination possibilities make SLIDER a highly comprehensive lighting solution that can meet any requirement, especially in complex situations such as office lighting. To offer the best lighting for workplaces, SLIDER can be customized with a RASTER to ensure that the lighting concept meets all required standards.

Equipped with the innovative RASTER this system achieves the highest efficiency with a unique glare-free. The technology of this sophisticated reflector produces a very low glare and offers optimal visual comfort. In addition to a better LOR, the innovative RASTER has a significantly higher central light intensity compared to a regular OPAL diffuser. The perfect solution for offices and workplaces.

To support a consistent and harmonious room concept and create a coherent appearance of the lighting system, the RASTER can be configured in black or white. This component not only improves efficiency and ensures optimum UGR values, it also draws attention to the light.




TRACK: COLOR 03 CRYSTAL WHITE | RASTER WHITE



TRACK: COLOR 03 CRYSTAL WHITE | RASTER BLACK



SLIDER SURFACE | TRACK: COLOR 02 BLACK VELVET WITH RASTER WHITE




SLIDER SURFACE | TRACK: COLOR 03 CRYSTAL WHITE WITH RASTER BLACK



INSPIRATION | BRANDSHOOT

BATWING LENS


The new wide beam indirect lens developed by PROLICHT enables further possibilities to create the desired lighting atmosphere. Even in low rooms, a very homogeneous light pattern can now be achieved thanks to the very wide beam indirect lens.





OPAL LENS

The SLIDER system offers in its configuration options the choice of different lenses. The use of the opal lens allows a directed and focused light distribution of the indirect lighting of the ceiling.





TUNABLE WHITE

TUNABLE WHITE is the perfect choice for an installation capable of adapting to the needs of human beings, mimicking the evolution of natural light during the day, or defining with specific settings the most comfortable scenario that each user can define. TUNABLE WHITE is available for all functions of the SLIDER FAMILY and thus offers ideal conditions for use in office lighting to achieve the desired and required uniformity.





PHOTO | ARMIN KUPRIAN



SLIDER | TRACK: COLOR 02 BLACK VELVET | MICROPRISM | TUNABLE WHITE



INSPIRATION | RMN VISUAL STUDIO



INSPIRATION | RMN VISUAL STUDIO


INSPIRATION | SLIDER SUSPENDED | TRACK: COLOR 02 BLACK VELVET | MICROPRISM | TUNABLE WHITE



TRACK: 26 CHAMPAGNE CREAM



RASTER BLACK



TEXTILE CABLE RED



INSPIRATION | RMN VISUAL STUDIO

MAKE IT YOURS

Colors add finishing touches to rooms and offer opportunities to shape the atmosphere. Warm tones create a cozy, communicative environment, whereas cool shades feel sleek, clean, and pure. Colors can be used to set accents, strengthen contrasts, or create a harmonious whole. To fully exploit these design possibilities, the lighting system SLIDER can be configured in the 25 PROLICHT colors as standard.


MAKE IT YOURS




INSPIRATION | IRMN VISUAL STUDIO



TEXTILE CABLE BLACK




RASTER BLACK




TRACK: 29 JAZZ GOLD COLORS


MAKE IT YOURS




OPAL DIFFUSER



TRACK: COLOR 16 PURPLE SKY



TEXTILE CABLE TRANSPARENT



COLOR 16 PURPLE SKY



MAKE IT YOURS



PHOTO | ARMIN KUPRIAN




PHOTO | ARMIN KUPRIAN



CREATE YOUR SHAPE

With different L, T and X modules, the system can be guided through the room as desired and take on individual shapes. With these extraordinary design options, the lighting system becomes a special highlight and allows the perfect staging of unique projects.



SLIDER L MODULE SURFACE | SUSPENDED




SLIDER T MODULE SURFACE | SUSPENDED



SLIDER X MODULE SURFACE | SUSPENDED

DRAW YOUR LINE

SLIDER's linear coupler is an innovative feature that provides a strong and secure connection in both the vertical and horizontal direction. Its design also eliminates any light leakage, ensuring a consistent and seamless lighting experience. This allows for endless possibilities in creating light lines and even special shapes, giving designers the freedom to create unique and customized lighting solutions with ease.




SLIDER FAMILY | COMPONENT: LINEAR COUPLER



WWW.PROLICHT.AT

CONFIGURATION MAKES A DIFFERENCE



RAL Classic or any other special color on request


Luminaires play an important role in your room design, which means that you need to have unlimited configurability. And that's what we at PROLICHT can give you. With all our lighting solutions.

Try it out and see for yourself what it means to create your own, tailor-made product from millions of possible combinations - with the help of our unique 3D configurator.



MAKE IT YOURS!


CONFIGURE ONLINE:
WWW.PROLICHT.AT/SLIDER



ARE YOU READY FOR THE FUTURE OF LIGHT CONFIGURATION?


1. START CONFIGURATION

Choose a preconfigured design or design your own. You can still change shape, colors and inserts in later steps.





2. WHAT SHAPE SHOULD IT BE?

Build the shape of your SLIDER customized according to your requirements. Colors and Inserts can be configured at a later step.



3. SYSTEM COLOR

Choose the system color which will be used for most elements by default.




4. SUSPENSIONS

Define the length of your suspension and choose the color for your suspension.




5. POWER FEED

Choose the type and the color of the power feeds and of the cable of your power feeds.



6. GLOBAL PARAMETERS

Define global parameters and finalize your design.



7. FINISH CONFIGURATION

Save your Design to generate further downloads (datasheet, idt files of inserts, drawings and many more).





THE NEW SYMBOL OF CONNECTIVITY!

Imagine a world where all your devices seamlessly work together.
The idea is simple. The impact is powerful.

OUR PRODUCTS ARE READY!

Configure now your MATTER enabled lighting solution.
PROLICHT is offering as one of the first companies in the lighting industry, the standard matter for more than 1.000 light fittings in over 50.000 possible configurations. From now on our downlights, tracks and luminaires can be controlled together with your other devices in your smart home via just one interface.

THE FIRST SMART LIGHTING SHOWROOM IN THE WORLD

Learn about all the ways you can integrate the new standard into your project and make your lighting smart.
You want to visit us? We are looking forward to welcome you in the heart of the Alps!

All PROLICHT Matter light fittings work natively with Apple Home, Google Home, Amazon Alexa and Samsung SmartThings and with many other home automation control systems.

THE FUTURE IS NOW!

PROLICHT WORKS WITH MATTER






SLIDER PROFIL



SLIDER L MODULE
1260 x 1260 mm



SLIDER T MODULE
1260 x 660 mm



SLIDER X MODULE
1260 x 1260 mm


POWER

17 - 65 WATT

IP INTERNATIONAL PROTECTION

IP20

COLOR TEMPERATURE CCT



BEAMWIDTH

DIRECT



DIFFUSER

OPAL



MICROPRISM



GLARE CONTROL



RASTER WHITE



RASTER BLACK



ENDCAP

BLACK/WHITE



25 PROLICHT COLORS



COLOR

25 PROLICHT COLORS



RAL Classic or any other special color on request

SLIDER SURFACE

PRODUCT	DIMENSION / mm	CCT / K	LUMEN MAX.	WATT	CRI	IP	ART.-N° EXCL. DV	ART.-N° INCL. DV
SLIDER DIRECT	L: 800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	2534	17	90	IP40	350-231-*	350-244-*
SLIDER DIRECT	L: 1000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	3165	22	90	IP40	350-232-*	350-245-*
SLIDER DIRECT	L: 1200	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	3805	26	90	IP40	350-233-*	350-246-*
SLIDER DIRECT	L: 1400	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	4436	30	90	IP40	350-234-*	350-247-*
SLIDER DIRECT	L: 1600	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	5067	34	90	IP40	350-235-*	350-248-*
SLIDER DIRECT	L: 1800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	5707	39	90	IP40	350-236-*	350-249-*
SLIDER DIRECT	L: 2000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	6339	43	90	IP40	350-237-*	350-250-*
SLIDER DIRECT	L: 2200	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	6970	47	90	IP40	350-238-*	350-251-*
SLIDER DIRECT	L: 2400	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	7610	52	90	IP40	350-239-*	350-252-*
SLIDER DIRECT	L: 2600	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	8241	56	90	IP40	350-240-*	350-253-*
SLIDER DIRECT	L: 2800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	8872	60	90	IP40	350-241-*	350-254-*
SLIDER DIRECT	L: 3000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	9512	65	90	IP40	350-242-*	350-255-*

CONTROL OPTION: * -0 ON/OFF | -2 DALI | -4 MATTER | -5 TW DALI | -6 TW MATTER

SLIDER SURFACE MODULES

PRODUCT	DIMENSION / mm	CCT / K	LUMEN MAX.	WATT	CRI	IP	ART.-N° EXCL. DV	ART.-N° INCL. DV
SLIDER L	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	7610	52	90	IP20	350-256-*	350-257-*
SLIDER L RASTER	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	6660	52	90	IP20	350-265-*	350-266-*
SLIDER T	1260 x 660	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	5707	39	90	IP20	350-258-*	350-259-*
SLIDER T RASTER	1260 x 660	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	4995	39	90	IP20	350-267-*	350-268-*
SLIDER X	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	3850	26	90	IP20	350-260-*	350-261-*
SLIDER X RASTER	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	3330	26	90	IP20	350-269-*	350-270-*

CONTROL OPTION: * -0 ON/OFF | -2 DALI | -4 MATTER | -5 TW DALI | -6 TW MATTER

All PROLICHT Matter light fittings work natively with Apple Home, Google Home, Amazon Alexa and Samsung SmartThings and with many other home automation control systems.



PHOTO | ARMIN KUPRIAN



SLIDER PROFIL

SLIDER L MODULE
1260 x 1260 mm

SLIDER T MODULE
1260 x 660 mm

SLIDER X MODULE
1260 x 1260 mm


POWER

17 - 65 WATT

IP INTERNATIONAL PROTECTION

IP20

COLOR TEMPERATURE CCT



BEAMWIDTH

DIRECT



DIFFUSER

OPAL



MICROPRISM



GLARE CONTROL




RASTER WHITE



RASTER BLACK



SUSPENSION CABLE: COLOR & LENGTH (2000 / 6000 mm)



CANOPY

SQUARE
BLACK | WHITE



ROUND
25 PROLICHT COLORS



ENDCAP

BLACK | WHITE



25 PROLICHT COLORS



COLOR

25 PROLICHT COLORS



RAL Classic or any other special color on request

SLIDER SUSPENDED DIRECT

PRODUCT	DIMENSION / mm	CCT / K	LUMEN MAX.	WATT	CRI	IP	ART.-N° EXCL. DV	ART.-N° INCL. DV
SLIDER DIRECT	L: 800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	2534	17	90	IP20	440-081-*	440-094-*
SLIDER DIRECT	L: 1000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	3165	22	90	IP20	440-082-*	440-095-*
SLIDER DIRECT	L: 1200	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	3805	26	90	IP20	440-083-*	440-096-*
SLIDER DIRECT	L: 1400	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	4436	30	90	IP20	440-084-*	440-097-*
SLIDER DIRECT	L: 1600	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	5067	34	90	IP20	440-085-*	440-098-*
SLIDER DIRECT	L: 1800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	5707	39	90	IP20	440-086-*	440-099-*
SLIDER DIRECT	L: 2000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	6339	43	90	IP20	440-087-*	440-100-*
SLIDER DIRECT	L: 2200	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	6970	47	90	IP20	440-088-*	440-101-*
SLIDER DIRECT	L: 2400	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	7610	52	90	IP20	440-089-*	440-102-*
SLIDER DIRECT	L: 2600	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	8241	56	90	IP20	440-090-*	440-103-*
SLIDER DIRECT	L: 2800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	8872	60	90	IP20	440-091-*	440-104-*
SLIDER DIRECT	L: 3000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	9512	65	90	IP20	440-092-*	440-105-*

CONTROL OPTION: * -0 ON/OFF | -2 DALI | -4 MATTER | -5 TW DALI | -6 TW MATTER

SLIDER SUSPENDED MODULES DIRECT

PRODUCT	DIMENSION / mm	CCT / K	LUMEN MAX.	WATT	CRI	IP	ART.-N° EXCL. DV	ART.-N° INCL. DV
SLIDER L	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	7610	52	90	IP20	440-132-*	440-133-*
SLIDER L RASTER	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	6660	52	90	IP20	440-147-*	440-148-*
SLIDER T	1260 x 660	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	5707	39	90	IP20	440-134-*	440-135-*
SLIDER T RASTER	1260 x 660	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	4995	39	90	IP20	440-149-*	440-150-*
SLIDER X	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	3850	26	90	IP20	440-136-*	440-137-*
SLIDER X RASTER	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	3330	26	90	IP20	440-151-*	440-152-*

CONTROL OPTION: * -0 ON/OFF | -2 DALI | -4 MATTER | -5 TW DALI | -6 TW MATTER

All PROLICHT Matter light fittings work natively with Apple Home, Google Home, Amazon Alexa and Samsung SmartThings and with many other home automation control systems.




PHOTO | ARMIN KUPRIAN



SLIDER PROFIL



SLIDER L MODULE
1260 x 1260 mm



SLIDER T MODULE
1260 x 660 mm



SLIDER X MODULE
1260 x 1260 mm


POWER

30 - 125 WATT

IP INTERNATIONAL PROTECTION

IP20

COLOR TEMPERATURE CCT



BEAMWIDTH

DIRECT/INDIRECT




DIFFUSER



INDIRECT LENS



SUSPENSION CABLE: COLOR & LENGTH (2000 / 6000 mm)



CANOPY



ENDCAP



COLOR



RAL Classic or any other special color on request

SLIDER SUSPENDED DIRECT/INDIRECT

PRODUCT	DIMENSION / mm	CCT / K	LUMEN MAX.	WATT	CRI	IP	ART.-N° EXCL. DV	ART.-N° INCL. DV
SLIDER DIRECT/INDIRECT	L: 800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	4503	30	90	IP20	440-107-.*	440-120-.*
SLIDER DIRECT/INDIRECT	L: 1000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	5784	39	90	IP20	440-108-.*	440-121-.*
SLIDER DIRECT/INDIRECT	L: 1200	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	7075	47	90	IP20	440-109-.*	440-122-.*
SLIDER DIRECT/INDIRECT	L: 1400	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	8365	56	90	IP20	440-110-.*	440-123-.*
SLIDER DIRECT/INDIRECT	L: 1600	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	9647	65	90	IP20	440-111-.*	440-124-.*
SLIDER DIRECT/INDIRECT	L: 1800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	10937	73	90	IP20	440-112-.*	440-125-.*
SLIDER DIRECT/INDIRECT	L: 2000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	12228	82	90	IP20	440-113-.*	440-126-.*
SLIDER DIRECT/INDIRECT	L: 2200	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	13509	90	90	IP20	440-114-.*	440-127-.*
SLIDER DIRECT/INDIRECT	L: 2400	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	14799	99	90	IP20	440-115-.*	440-128-.*
SLIDER DIRECT/INDIRECT	L: 2600	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	16090	108	90	IP20	440-116-.*	440-129-.*
SLIDER DIRECT/INDIRECT	L: 2800	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	17371	116	90	IP20	440-117-.*	440-130-.*
SLIDER DIRECT/INDIRECT	L: 3000	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	18662	125	90	IP20	440-118-.*	440-131-.*

CONTROL OPTION: * -0 ON/OFF | -2 DALI | -4 MATTER | -5 TW DALI | -6 TW MATTER












SLIDER SUSPENDED MODULES DIRECT/INDIRECT

PRODUCT	DIMENSION / mm	CCT / K	LUMEN MAX.	WATT	CRI	IP	ART.-N° EXCL. DV	ART.-N° INCL. DV
SLIDER X MODULE	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	12792	86	90	IP20	440-138-.*	440-139-.*
SLIDER X MODULE RASTER	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	11843	86	90	IP20	440-153-.*	440-154-.*
SLIDER T MODULE	1260 x 660	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	9594	65	90	IP20	440-140-.*	440-141-.*
SLIDER T MODULE RASTER	1260 x 660	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	8882	65	90	IP20	440-155-.*	440-156-.*
SLIDER L MODULE	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	6396	43	90	IP20	440-142-.*	440-143-.*
SLIDER L MODULE RASTER	1260 x 1260	2700 3000 3500 4000 & TUNABLE WHITE 2700 - 6500	5921	43	90	IP20	440-157-.*	440-158-.*

CONTROL OPTION: * -0 ON/OFF | -2 DALI | -4 MATTER | -5 TW DALI | -6 TW MATTER


All PROLICHT Matter light fittings work natively with Apple Home, Google Home, Amazon Alexa and Samsung SmartThings and with many other home automation control systems.

SLIDER FAMILY | COMPONENTS

ARTICLE	DESCRIPTION	COLOR	ART.-N° SURFACE	ART.-N° SUSPENDED DIRECT	ART.-N° SUSPENDED DIRECT/INDIRECT
	ENDCAP BLACK/WHITE	•	350-2630	440-1450	440-1450
	ENDCAP RASTER BLACK/WHITE	•	350-2632	440-1452	440-1452
	ENDCAP POWDERCOATED	1-29	350-2631	440-1451	440-1451
	ENDCAP RASTER POWDERCOATED	1-29	350-2633	440-1453	440-1453
	LINEAR COUPLER	•	350-2634	440-1454	440-1454
	CANOPY SQUARE BLACK/WHITE ON/OFF 3 POL	•	•	440-1460	440-1460
	CANOPY SQUARE BLACK/WHITE DALI 5 POL	•	•	440-1461	440-1461
	CANOPY ROUND ON/OFF 3 POL	1-29	•	440-1462	440-1462
	CANOPY ROUND ON/OFF 3 POL	1-29	•	440-1463	440-1463
	SUSPENSION CABLE WITH MOUNTING CLIP 2/6 m	1-29	•	440-1456	440-1456
	MONTAGECLIP	•	350-2636	•	•



DISCOVER MORE ON
WWW.PROLICHT.AT/SLIDER



EDITOR Filippo Bettinzoli, PROLICHT
PROLICHT GmbH | Austria
6091 Neu-Götzens | Gewerbeplatz 9
T +43 5234 33 499 | F + 43 5234 33 499 22
marketing@prolicht.at | www.prolicht.at

TECHNICAL SUPPORT Robert Karacic

GRAPHIC DESIGN Tonia Wiedenmann

TEXT Julia Kopp

PRODUCT PHOTOS Armin Kuprian

PRODUCT RENDERINGS Aurel Petic, RMN visual studio, brandshoot

EDITION august 2023





 FOLLOW US ON
INSTAGRAM

WWW.PROLICHT.AT